

initiation of similar K007 projects broadcasts a different approach to traditional biofuels (ethanol and biodiesel) since it takes advantage of the living *Jatropha* fences in Manabí, which are traditionally used only as property separation boundaries and do not have any economic use.

Acknowledgment

The authors would like to express gratitude to Asociación de Productores Agropecuarios Engabao (APROAGROEN), and FAO with Climate Smart Livestock Program.

References

- [1] K. Sen, S. Mahalingam, and B. Sen, "Rapid and high yield biogas production from *Jatropha* seed cake by co-digestion with bagasse and addition of Fe²⁺", *Environmental Technology* (2013). <http://dx.doi.org/10.1080/09593330.2013.798000>
- [2] Ministerio del Ambiente, Agua y Transición Ecológica, 2020 (<https://www.ambiente.gob.ec/>)
- [3] S. Y. Pan, C. Y. Tsai, C. W. Liu, S. W. Wang, H. Kim, & C. Fan, "Anaerobic co-digestion of agricultural wastes toward circular bioeconomy". *IScience*, 24(7), (2021). 102704.
- [4] H. Choy, (2022). "Two step anaerobic co-digestion of sesame oil cake and sewage sludge for sludge reduction and biogas production". 1–20.
- [5] R. Soria, and P. Carvajal, Biogas: "An Alternative for the Expansion of Electricity Generation in Ecuador", *Energy* (2016). 38-45.
- [6] G. Guarino, C. Carotenuto, F. di Cristofaro, S. Papa, B. Morrone, and M. Minale, "Does the C/N ratio really affect the Bio-methane Yield? A three-year investigation of Buffalo Manure Digestion", *Chemical Engineering Transactions* (2016). 49, 463-468.
- [7] B. Dhungana, S. P. Lohani, & M. Marsolek, "Anaerobic Co-Digestion of Food Waste with Livestock Manure at Ambient Temperature: A Biogas Based Circular Economy and Sustainable Development Goals". *Sustainability* (Switzerland), 14(6). <https://doi.org/10.3390/su14063307>
- [8] M. Seppälä, V. Pyykkönen, A. Väisänen, and J. Rinata, "Biomethane production from maize and liquid cow manure – Effect of share of maize, post-methanation potential and digestate characteristic", *Fuel* (2013). 107, 209-216.
- [9] H. El-Mashad, and R. Zhang, "Biogas production from co-digestion of dairy manure and food waste", *Bioresource Technology* (2010). 101, 4021-4028.
- [10] G. Aveiga, and F. Peñafiel, "Obtención de Parámetros de Diseño para Unidad Experimental de Producción de Biodiesel a partir de Aceite Refinado de Semillas de *Jatropha curcas*", Tesis de Ingeniería en Alimentos-Escuela Superior Politécnica del Litoral (2017).
- [11] D.K. Sharma, A.K. Pandey, and Lata, "Use of *Jatropha curcas* hull biomass for bioactive compost production", *Biomass & Bioenergy* (2009). 33, 159-162.
- [12] A. Plúas, and J. Portes, "Caracterización de aceite no comestible de *Jatropha curcas* para la obtención de biocarburante", Tesis de Ingeniería Química-Escuela Superior Politécnica del Litoral (2017).
- [13] O. Ogunkunle, K. Olatunji, A. JO, "Comparative Analysis of Co-Digestion of Cow Dung and *Jatropha* Cake at Ambient Temperature", *Journal of Fundamentals of Renewable Energy and Applications* (2018). 8, 5.
- [14] Instituto Interamericano de Cooperación para la Agricultura. (2020, October 1). Aceite de piñón, una oportunidad para el medio ambiente y para cientos de familias rurales de Ecuador en tiempos de pandemia. Gerencia de Comunicación Institucional.
- [15] MERNR-Ministerio de Energía y Recursos Naturales no Renovables. PROYECTO: K007 Producción de Aceite de Piñón para plan piloto de generación eléctrica en Galápagos - Fase II. (2019). <https://www.recursosyenergia.gob.ec/wp-content/uploads/2019/11/gprproduccion-aceite-pinon.pdf>
- [16] X. Álvarez, O. Arévalo, M. Salvador, I. Mercado, and B. Velázquez-Martí, "Cyanobacterial Biomass Produced in the Wastewater of the Dairy Industry and Its Evaluation in Anaerobic Co-digestion with Cattle Manure for Enhanced Methane Production", *Processes* (2020). 8, 1290.
- [17] E. Kethobile, C. Ketlogetswe, and J. Gandure, "Torrefaction of non - oil *Jatropha curcas* L. (*Jatropha*) biomass for solid fuel", *Heliyon* (2020), 6, e05657.
- [18] F.A. Avellaneda, "Producción y caracterización de biodiesel de palma y de aceite reciclado mediante un proceso *batch* y un proceso continuo con un reactor helicoidal", Tesis Doctoral-Universidad de Tarragona (2010).
- [19] W.T.H. Degtjareff, "Determining soil organic matter by means of hydrogen peroxide and chromic acid", *Soil Science* (1930). 29, 239-246.
- [20] A. Walkey, and I.A. Black, "An examination of Degtjareff method for determining soil organic matter, and a proposed modification of the chromic acid titration method". *Soil Science* (1934). 37, 29-38.
- [21] C. D'Elia, P. Steudler, N. Corwin, "Determination of total nitrogen in aqueous samples using persulfate digestion", *Limnol. Oceanogr* (1977). 22, 760-764.
- [22] H. Tandon, M. Cescas, E. Tyner, "An acid-free vanadate-molybdate reagent for the determination of total phosphorus in soils", *Soil Science* (1968). 32, 48-51.
- [23] S. Suhartini, Y. Lestari and I. Nurika, "Estimation of methane and electricity potential from canteen food waste", IOP Conference Series: Earth and Environmental Science (2019). 230, 012075. doi:10.1088/1755-1315/230/1/012075
- [24] G. Ewunie, J. Morken and Z. Yigezu, "Alkaline and co-digestion pretreatments: process optimization for enhancing the methane yield of *Jatropha* press cake", *Biomass Conversion and Biorefinery* 11, no. 3 (2021): 971-988.
- [25] I. Mahmoud, M. Hassan, S. Mostafa Aboelenin, M. Mohamed Soliman, H. Fouad Attia, K. A. Metwally, H. M. Salem, A. M. El-Tahan, M. T. El-Saadony, & R. Khalaphallah, Biogas manufacture from co-digestion of untreated primary sludge with raw chicken manure under anaerobic mesophilic environmental conditions. *Saudi Journal of Biological Sciences*, 29(4), (2022): 2969–2977. <https://doi.org/10.1016/j.sjbs.2022.01.016>
- [26] S. Suhartini, Y. Lestari and I. Nurika, "Estimation of methane and electricity potential from canteen food waste", IOP Conference Series: Earth and Environmental Science (2019), 230, 012075. doi:10.1088/1755-1315/230/1/012075
- [27] A. Rabii, S. Aldin, Y. Dahman, & E. Elbeshbishy. A review on anaerobic co-digestion focuses on the microbial populations and the effect of multi-stage digester configuration. *Energies*, 12(6). (2019). <https://doi.org/10.3390/en12061106>